



Processing Item Information Sheet (PIIS)

“RNA Extraction from Whole Blood” Scheme [RNABLD25]

This sheet contains all the information on the **Whole Blood Processing Item** that you should be aware of to conduct the above mentioned Scheme. **Please read carefully before performing any operation on the provided sample.**

Processing Item Description

- Source material: Human blood from a healthy donor.
- Packaging: PAXgene RNA Stabilization tube.
- Date of Preparation: February-March 2025.
- Testing of Biological Hazard: The Processing Item has been tested negative for HIV (ELISA and PCR), HCV (ELISA and PCR); Syphilis (ELISA), HBsAg (ELISA), HBV (PCR), HAV (PCR), Parvovirus B19 (PCR).
- Biosafety level: All operations have been conducted in a BSL 2 environment.
- Homogeneity and Stability Information: Homogeneity of the Processing Item will be from June to August 2024. Stability of the Processing Item is 3 days at Room Temperature, 5 days at 2-8°C and at least 11 years at -20 to -70°C (data from Paxgene Blood RNA Stabilization tube manufacturer).

Instructions to Prepare the Processing Item for Extraction

- Any storage requirement between receipt and testing date: Store at **-80°C**. RNA extraction should be performed within 1 week of receipt.

Particular Handling/Safety Requirements

- Potential risks of Processing Item: Exempt of infectious risk.
- Individual protection equipment required: Standard laboratory equipment (laboratory coat, gloves).
- In case of puncture or cuts: Wash thoroughly with water and then disinfect during 10 minutes.
- In case of contact with the eye: Wash thoroughly with water or physiologic serum during 5 minutes.
- In case of contact with the mucus membranes and skin: Wash thoroughly with water.
- Measures to take in case of accidental spillage: Use disinfectant and thoroughly clean the effected surface.
- Waste elimination procedures: Waste generated by healthcare activities, to eliminate in incinerable plastic containers.



Scheme Specifications

- Please extract **RNA** from the Processing Item following your **usual routine RNA extraction method**.
- You will be asked to report information under the following scheme: **RNA Extraction from Whole Blood**.
- Please be ready to enter the following information:
 - Extraction method (phenol/trizol-based, magnetic bead-based, silica membrane-based, unsure, other);
 - Total volume of blood used for RNA extraction (ml) (**blood + stabilizer**);
 - Use of DNase;
 - Elution buffer composition (water, TE, other) and elution volume (µl);
 - Extraction equipment.

What to Submit

- Once you have extracted RNA from the blood (according to your extraction method), you pipet all the extracted RNA in the provided labelled Matrix 0.5 ml. The tube is already labelled with your Laboratory Number and the name of the Scheme (RNABLD25). **Make sure to properly close the tube to avoid evaporation or leakage.**
- IBBL requires a **minimum of 25 µl** of extract to perform the downstream analyses planned.
- As soon as extracted, the RNA tube must be shipped to the following address, by using the courier of your choice:

IBBL, PT Programme
Biorepository – Laura GEORGES
1B Rue Louis Rech
L-3555 Dudelange
LUXEMBOURG
Phone: +352 26970-521
Email: biorepository@ibbl.lu

- The extracted RNA can be temporarily stored at -80°C before shipment. In that case, the extracted RNA must be shipped to IBBL on dry ice.
- Please note that IBBL cannot receive your sample on Saturdays nor Sundays.
- Your data must be submitted online to the PT website <http://biospecimenpt.ibbl.lu/> by employing the login credentials (User email and Password) used to create your account on the aforementioned PT platform.
- Please complete the questionnaire of the RNABLD25 PT scheme as accurately as possible, adding any relevant detail and comment in the appropriate section.

Timelines

<i>Shipment of the extracted RNA to IBBL</i>	<i>Data Submission</i>	<i>Data analysis & Report preparation</i>	<i>Reports available</i>
Before 10 NOV 2025	17 NOV 2025, latest	20 NOV 2025– 31 JAN 2026	March 2026

In case of doubts in the completion phase, please contact LIH/IBBL at ISBERPT@lih.lu